



ICS AIRSOFT
BE A GAME CHANGER



ICSEXP

EXP-HOG

CHI SHIVAN ENTERPRISE CO., LTD

WWW.ICSB.COM





CXP-HOG

CNC Appearance

Aggressive geometric surfaces enhance the unique new style.
Strong and powerful lines demonstrate this dynamic personality.
The CNC machined one piece upper receiver empowers the fighting spirit.



HIGH-OCCUPANCY HANDGUARD=HOG

CXP-HOG, the newly short barrel designed look with modern style. "Hog" is a symbol of strong explosion.



CXP-HOG

BE A GAME CHANGER
ICS AIRSOFT

HIGH-OCCUPANCY HANDGUARD=HOG

CXP-HOG, the newly short barrel designed look with modern style. "Hog" is a symbol of strong explosion.



ICS-272 (Front Wired)



IMT-272-1 (Front Wired)



CXP-HOG

ICS BE A GAME CHANGER
ICSAIRSOFT

HIGH-OCCUPANCY HANDGUARD=HOG

CXP-HOG, the newly short barrel designed look with modern style. "Hog" is a symbol of strong explosion.



ICS-274



ICS-275



CXP-HOG

ICS BE A GAME CHANGER
ICSAIRSOFT

HIGH-OCCUPANCY HANDGUARD=HOG

CXP-HOG, the newly short barrel designed look with modern style. "Hog" is a symbol of strong explosion.



ICS-381



ICS-382



CXP-HOG

ICS BE A GAME CHANGER
ICSAIRSOFT

HIGH-OCCUPANCY HANDGUARD=HOG

CXP-HOG, the newly short barrel designed look with modern style. "Hog" is a symbol of strong explosion.



ICS-380



ICS-383



CXP-HOG

BE A GAME CHANGER
ICSAIRSOFT

Keymod System



To be the comprehensive tactical player, CXP-HOG uses the latest keymod handguard to be the high occupancy system for players installing multiplicity tactical accessories.



CXP-HOG



BE A GAME CHANGER

ICSAIRSOFT

Quick-Detach Keymod System

ICS'S newly designed Keymod handguard makes it easy to install the battery. The keymod rail set also allows quick and easy accessory mounting via RIS mounts. Additional RIS rails can be added for even more flexibility.



CXP-HOG

BE A GAME CHANGER
ICS AIRSOFT

Linear Upper Receiver

To distinguish from the M4 style, the CXP-HOG has a more linear style with a sleek CNC machined profile.



CXP-HOG

BE A GAME CHANGER
ICS AIRSOFT

EBB System

The ICS Electric Blow Back System increases the realistic action of real fire arms without reducing shooting precision and accuracy.



EXP-HOG

BE A GAME CHANGER
ICS AIRSOFT

Compatibility

The Upper Receiver of CXP-HOG is compatible with CXP-UK1.



CXP-HOG

BE A GAME CHANGER
ICS AIRSOFT

Battery Stock Tube

CXP-HOG utilizes an all new rear wired gearbox. This incorporates a brand new hidden wire design within the stock tube. It is easy to replace batteries by removing the rear stock. The new hidden wire system keeps the wires protected from damage and allows the gun to look more realistic.



CXP-HOG

BE A GAME CHANGER
ICSAIRSOFT

Rubber Block System

The Block system is adjustable to various lengths according to the battery used. This allows the use of different length batteries as well as protecting the battery and connector from accidental damage.



*Rear wired only



CXP-HOG

BE A GAME CHANGER
ICSAIRSOFT

MTR Stock

The MTR stock is comfortable and ergonomic. Its is lightweight and adaptable with a Quick-Detach ring that allows other gear to be equipped.



CXP-HOG

BE A GAME CHANGER
ICSAIRSOFT

MTR-S1 Stock

The MTR-S1 Stock features much more space for battery and it's a single piece molded stock made of high strength engineering plastic, and its TPR butt pad offers an astonishing amount of comfort, antiskid, and durability. In addition, the butt pad is easy to remove without the need of tools.



EXP-HOG

BE A GAME CHANGER
ICS AIRSOFT

UKSR Stock

The UKSR Precision Adjustable Stock provides fine tuning on the cheek piece height and the butt pad length, offering 12 precision adjustment levels for the custom needs of snipers. Additionally, UKSR offers a large battery compartment that allows larger capacity battery to be easily installed.



EXP-HOG

ICS BE A GAME CHANGER
ICSAIRSOFT



SD-Style Forearm



Free Float Tubular Handguard

Custom tubular front rail system



EXP-HOG



BE A GAME CHANGER

ICSAIRSOFT

QRS Stock

QRS Stock offers enhanced strength, stability and ergonomics. It is easier stretching to the position and adaptable with rear metal sling.



EXP-HOG

BE A GAME CHANGER
ICS AIRSOFT



Newly Designed Flash Hider

Compared to the regular AR flash hider, the CXP-HOG is much more exciting.



Flip-Up Sights

Iron sights quickly pop up and fold to deal with a variety of battle situations.



CXP-HOG

BE A GAME CHANGER
ICSAIRSOFT



T Magazine

The innovative 300-round high capacity magazine provides players maximum firepower. It is specially designed to provide players a quick way to see how many BB's remain in the magazine. The skid-proof magazine shell provides excellent grip for all weather conditions. Players can reload the magazine rapidly and quickly return to the battlefield.



Enlarged Trigger Guard

Enlarged guard design is much more friendly for players wearing gloves.




CXP-HOG

BE A GAME CHANGER
ICSAIRSOFT



Ergonomic Pistol Grip

Easy to use and more comfortable during long patrol missions, the grip also provides more control for intensive combat situations.



Charging Handle

Ambidextrous operation design is convenient for both right-handed and left-handed players.



CXP-HOG

BE A GAME CHANGER
ICSAIRSOFT



Spring Release Function

The ICS Spring Release actively protects the spring, piston and your airsoft investment. This innovative design integrates the safety selector lever and the spring release function. The spring is automatically released when you select Safe on the selector switch.



Sling Mount

Double sided ring, sling can be attached from either side.



CXP-HOG

BE A GAME CHANGER
ICS AIRSOFT



Split Gearbox

Consistent with ICS superior design, the gearbox is easy to disassemble and convenient to maintain and repair.



Super Durable

Factory installed upgraded reinforced piston, metal H-UP unit, reinforced MIM pinion, and bevel gear. These features allow the gun to operate smoothly and reliably.



EXP-HOG

BE A GAME CHANGER
ICS AIRSOFT

CXP-HOG

● Gun Length	Front Wired 700mm (795mm) Rear Wired 720mm (795mm)
● Barrel Length	261mm
● Weight	3000g
● Muzzle Velocity	Front Wired 118-130m/s (388-428 FPS)※ Rear Wired 115-130m/s (378-428 FPS)※
● Battery Type	9.6V Ni-Mh or 11.1V Li-Po
● Magazine	MA-186 T Hi-cap magazine
● Mag. Capacity	300 rounds
● Motor	Turbo 3000 long pin
● Spring	M120
● Material	Metal

※ NOTE:

1. The product specification is for reference only and may be subject to change.
2. Battery type is recommended, not included.
3. For AEG with M100 spring, it is recommended to use voltage 7.4V Li-Po or 9.6V Ni-Mh batteries.
4. Muzzle velocity is measured with 0.20g BB's, and is adjusted to comply with market regulation/requirements for specific countries as shown below:
Below 106 m/s (350 FPS): Belgium, France, Netherlands, Portugal, Spain, UK
Below 100 m/s (328 FPS): Italy
Below 95 m/s (312 FPS): Japan
Below 45 m/s (148 FPS): Korea



ICS-270 (Front Wired)

ICS-271 (Rear Wired)



IMT-270-1 (Front Wired)

IMT-271-1 (Rear Wired)



CXP-HOG

ICS BE A GAME CHANGER
ICSAIRSOFT

CXP-HOG

● Gun Length	QRS 675mm (775mm) CQB 620mm (696mm)
● Barrel Length	QRS 261mm CQB 180mm
● Weight	QRS 2700g CQB 2400g
● Muzzle Velocity	QRS 115-130m/s (378-428 FPS)※ CQB 112-125m/s (368-411 FPS)※
● Battery Type	9.6V Ni-Mh or 11.1V Li-Po
● Magazine	MA-186 T Hi-cap magazine
● Mag. Capacity	300 rounds
● Motor	Turbo 3000 long pin
● Spring	M120
● Material	Metal

※ NOTE:

1. The product specification is for reference only and may be subject to change.
2. Battery type is recommended, not included.
3. For AEG with M100 spring, it is recommended to use voltage 7.4V Li-Po or 9.6V Ni-Mh batteries.
4. Muzzle velocity is measured with 0.20g BB's, and is adjusted to comply with market regulation/requirements for specific countries as shown below:
Below 106 m/s (350 FPS): Belgium, France, Netherlands, Portugal, Spain, UK
Below 100 m/s (328 FPS): Italy
Below 95 m/s (312 FPS): Japan
Below 45 m/s (148 FPS): Korea



CXP-HOG ORS
ICS-272 (Front Wired)



CXP-HOG ORS
IMT-272-1 (Front Wired)



CXP-HOG COB MTR
ICS-280 (Rear Wired)



CXP-HOG

BE A GAME CHANGER
ICSAIRSOFT

CXP-HOG

● Length/Retractable	ICS-274 910/880 (mm) ICS-275 925/895 (mm)
● Barrel Length	375mm
● Weight	3300g
● Muzzle Velocity	ICS-274 121-134 m/s (397-440 FPS) ※ ICS-275 123-134 m/s (404-440 FPS) ※
● Battery Type	9.6V Ni-Mh or 11.1V Li-Po
● Connector size	Small connector
● Mag. Capacity	300 rounds
● Spring	M120
● Material	Full metal

※ NOTE:

1. The product specification is for reference only and may be subject to change.
2. Battery type is recommended, not included.
3. For AEG with M100 spring, it is recommended to use voltage 7.4V Li-Po or 9.6V Ni-Mh batteries.
4. Muzzle velocity is measured with 0.20g BB's, and is adjusted to comply with market regulation/requirements for specific countries as shown below:
Below 106 m/s (350 FPS): Belgium, France, Netherlands, Portugal, Spain, UK
Below 100 m/s (328 FPS): Italy
Below 95 m/s (312 FPS): Japan
Below 45 m/s (148 FPS): Korea



**CXP-HOG
TUBULAR SR
ICS-274**



**CXP-HOG
TUBULAR L SR
ICS-275**



CXP-HOG

ICS BE A GAME CHANGER
ICSAIRSOFT

CXP-HOG

● Length/Retractable	ICS-380	880/800(mm)
	ICS-383	800/720 (mm)
● Barrel Length	ICS-380	375mm
	ICS-383	303mm
● Weight	ICS-380	2860g
	ICS-383	2690g
● Muzzle Velocity	ICS-380	120-138 m/s (394-453 FPS) ※
	ICS-383	113-130 m/s (371-427 FPS) ※
● Battery Type	9.6V Ni-Mh or 11.1V Li-Po	
● Connector size	Small connector	
● Mag. Capacity	300 rounds	
● Spring	M120	
● Material	Full metal	

※ NOTE:

1. The product specification is for reference only and may be subject to change.
2. Battery type is recommended, not included.
3. For AEG with M100 spring, it is recommended to use voltage 7.4V Li-Po or 9.6V Ni-Mh batteries.
4. Muzzle velocity is measured with 0.20g BB's, and is adjusted to comply with market regulation/requirements for specific countries as shown below:
Below 106 m/s (350 FPS): Belgium, France, Netherlands, Portugal, Spain, UK
Below 100 m/s (328 FPS): Italy
Below 95 m/s (312 FPS): Japan
Below 45 m/s (148 FPS): Korea



CXP-HOG
TUBULAR SD MTR
ICS-380



CXP-HOG
TUBULAR SSD MTR
ICS-383



CXP-HOG

BE A GAME CHANGER
ICSAIRSOFT

CXP-HOG

● Length/Retractable	ICS-381 900/810 (mm)
	ICS-382 910/880 (mm)
● Barrel Length	375mm
● Weight	ICS-381 2920g
	ICS-382 3300g
● Muzzle Velocity	120-138 m/s (394-453 FPS) ※
● Battery Type	9.6V Ni-Mh or 11.1V Li-Po
● Connector size	Small connector
● Mag. Capacity	300 rounds
● Spring	M120
● Material	Full metal



CXP-HOG
TUBULAR SD SI
ICS-381



CXP-HOG
TUBULAR SD SR
ICS-382

※ NOTE:

1. The product specification is for reference only and may be subject to change.
2. Battery type is recommended, not included.
3. For AEG with M100 spring, it is recommended to use voltage 7.4V Li-Po or 9.6V Ni-Mh batteries.
4. Muzzle velocity is measured with 0.20g BB's, and is adjusted to comply with market regulation/requirements for specific countries as shown below:
Below 106 m/s (350 FPS): Belgium, France, Netherlands, Portugal, Spain, UK
Below 100 m/s (328 FPS): Italy
Below 95 m/s (312 FPS): Japan
Below 45 m/s (148 FPS): Korea



CXP-HOG

ICS BE A GAME CHANGER
ICS AIRSOFT