



BE A GAME CHANGER
ICS AIRSOFT



ICS Wooden Series

WORLD WAR II **MI GARAND**

二戰槍系列-M1 葛蘭特半自動步槍 木紋全金屬版

*The images displayed here are for reference only; the actual contents for the AEG fetched will be dependent on the regulation or law compliance in various markets or on the specific request by respective AEG dealers.



WORLD WAR II M1 GARAND

二戰槍系列-M1葛蘭特半自動步槍 木紋全金屬版



Brief

As a part of the history and almost 70 years past, people still remember the image that en clips lay down in foxhole, the noise of "Ping" sound, and the smell of 30-06 rounds.

All these combined with courage, honor and discipline had created stories to share. All of these stories build up a role model to follow.

From WWII, Korea to Vietnam, The war has changed, but the spirits are never fade away.

A Legend that ICS shouldn't miss, The M1 Garand.



■ ICS-202 M1 Garand

WORLD WAR II M1 GARAND

二戰槍系列-M1葛蘭特半自動步槍 木紋全金屬版



Real Wood Stock

Linseed oil is recommend for the maintains because this stock isn't just painting. Made by one piece real wood and the CNC process of real M1, every M1 Stock has unique wood grain and ready for further customization.



特
徵
Features

WORLD WAR II M1 GARAND

二戰槍系列-M1葛蘭特半自動步槍 木紋全金屬版



Bolt Carrier

Bolt carrier can be lock at rear after rack the bolt carrier backward, then press the magazine. It helps you to adjust Hop-Up.



Feature 特徵

WORLD WAR II M1 GARAND

二戰槍系列-M1葛蘭特半自動步槍 木紋全金屬版



Spatial Battery Room

Up to MC-130 (9.6V 3300mAh) battery, extend your fun of Airsoft.



Feature 特徵

WORLD WAR II M1 GARAND

二戰槍系列-M1葛蘭特半自動步槍 木紋全金屬版



Front & Rear Sight, Engraved Receiver

Realistic front and rear sight, windage and elevation adjustable. Unique serial number marking on receiver.



特
徵
Features

WORLD WAR II M1 GARAND

二戰槍系列-M1葛蘭特半自動步槍 木紋全金屬版



Immersive Trigger Assembly

Realistic assembly, safety functional as real one.



特
徵
Features

WORLD WAR II M1 GARAND

二戰槍系列-M1葛蘭特半自動步槍 木紋全金屬版



Sling Ring



特
徵
Features

WORLD WAR II M1 GARAND

二戰槍系列-M1葛蘭特半自動步槍 木紋全金屬版



42 Round Magazine



Feature 特徵

WORLD WAR II M1 GARAND

二戰槍系列-M1葛蘭特半自動步槍 木紋全金屬版



One Piece H-UP Chamber

One piece H-UP chamber lets the BBs be fed smoothly, and avoids feeding problem from H-UP misplacement. In addition, the newly designed adjusting ring makes the H-UP adjustment much easier and smoother.



Features


WORLD WAR II M1 GARAND

二戰槍系列-M1葛蘭特半自動步槍 木紋全金屬版



New Generation Gear Box

This gear box is design to use 8mm bearing which makes gears more stable and silence.



特
徵
Features

WORLD WAR II M1 GARAND

二戰槍系列-M1葛蘭特半自動步槍 木紋全金屬版



Turbo 3000

High end ICS Turbo 3000, build for the high torque gears and high FPS spring, is the most durable one in ICS motors.



DC:8.4V-12V; Suggest to use 9.6V 3300mAh Ni-MH

特
徵
Features

WORLD WAR II M1 GARAND

二戰槍系列-M1葛蘭特半自動步槍 木紋全金屬版



New CNC Steel Gears

Assembled with upgrade steel gear set.



特
徵
Features

WORLD WAR II M1 GARAND

二戰槍系列-M1葛蘭特半自動步槍 木紋全金屬版



Nylon Fiber Piston

The new piston body is made of Nylon fiber filler reinforcement and now the standard on every ICS AEG for delivering better performance and better service life. The cylinder head of 8 orifices enhances air suction and discharge, and thus the piston runs smoothly and agilely. Consequently in air compressing, it gives less stress to the spring, piston, gears, and motor; whereas in air releasing, the O-ring expands to make better air-sealing and to deliver more powerful firing rate.



特
徵
Features

WORLD WAR II M1 GARAND


二戰槍系列-M1葛蘭特半自動步槍 木紋全金屬版



Low Resistance Switch Assembly And Mini Fuse

AEGs are powered by electricity; therefore, it's very important to design and setup a low current resistance operating environment for AEGs. ICS deploys new conductor material on switch plate to eliminate the resistance which caused by heat. Also the trigger contact switch is made hollow and robust of enhanced heat dissipation configuration. The new low resistance switch assembly provides the best efficiency. We also takes new 16AWG wire and new Mini fuse on ICS products. All contact points are nickel plated and also the mini fuse to lower the electric resistance. The electric current is much stable and produces less heat. In short, with all of these enhancements, ICS assures the AEGs perform at low electric resistance, spark free, and extended service life.

All internal wire is upgrade to 16 AWG Teflon wire, it withstands a rating voltage of 300V, temperature 200°C, resistance 15.6 ohm/km and 17.0 AMR capacitance, and is the highest quality standard applied in the AEG industry.



特
徵
Features

WORLD WAR II M1 GARAND

二戰槍系列-M1葛蘭特半自動步槍 木紋全金屬版



Cylinder Head & Air Nozzle

One piece cylinder head and additional O-ring inside the air nozzle to increase the air tightness.



特
徵
Features

WORLD WAR II M1 GARAND

二戰槍系列-M1葛蘭特半自動步槍 木紋全金屬版



Specifications(Standard)

ICS-202 M1 GARAND

Weight: 3600g

Full Length: 1102mm

Barrel Length: 537mm

Inner Barrel Length: 610mm

Muzzle Velocity: 120m/s (390fps \pm 15)

Motor: TURBO 3000(Short Pin)

Spring: M120

Battery: MC-130 (9.6V, 3300mAh)

Pellet Capacity: 42 rounds 6mm BBs

Main Material: Wooden/Metal/Engineering Plastic

1. Battery type recommended, not included.
2. For different requirements and regulations in various market and area, the specifications may be revised on demand, and the AEG actually fetched shall prevail.